

Simply Stylish Wiring Accessories





Scolmore® Middle East is part of the Scolmore® Group - a globally recognised name in the electrical industry and the UK's leading manufacturer of electrical accessories, circuit protection, lighting, home automation, fire, security and cable accessory products. Established in the UK in 1989, the award-winning Scolmore® Group organisation designs, develops and manufactures an ever-expanding range of innovative, energy-efficient and time-saving solutions for domestic and commercial projects.

Today, Scolmore® Middle East supplies an array of products from Scolmore's core product ranges across the Middle East region through its trusted network of authorised distributors. These include ESP Emergency Lighting, Click Wiring Accessories, Ovia LED Lighting, and Unicrimp Cable Management products.

The company's established network of authorised distributors is key to delivering a broad range of products and support across the regions being served. There is a strong emphasis on providing exceptional service to valued customers to ensure they have access to a variety of marketing support facilities including comprehensive training across the breadth of products being supplied.



10 Year Warranty

All products within the Seera® Range
come with a 10 Year Warranty.

Introducing new Black & Silver finishes

Our Seera® range is now available with 3 different finish options!
The Seera® range comes in a White finish as standard, but now you can choose to change the finish to either Black or Silver, which is available across the entire Seera® range.



Understanding the product code

Our Seera® range comes White as standard. If another finish is required, then simply specify the required finish by following the easy to follow code structure as demonstrated here...

CPC

Plate Style

801

Product
Number

BK/SV

Plate Finish

If you require an alternative finish to White, then please add the required suffix to the product code.



(BK) Black




(SV) Silver

Installation Assembly

A great feature of the Seera® Range is that the fixing screws are not visible!

The Frontplate is attached directly onto the Insert to hide all fixing screws.

The product Insert will be fixed to a back box.



Socket Assembly



Switch Assembly

Captive screws integrated into front plates remain attached to the socket housing even when loosened, preventing loss during installation or maintenance.

Switches

Our switches are developed to offer a solution for almost every possible design need and the screwless exterior enhances the décor of any installation.



Wide Rocker Switches

- One Way
- Two Way
- Intermediate
- 10AX
- 20AX

Dimmer Switches



All products in the Seera® range are available in White, Black and Silver.



All products in the Seera® range are available in White, Black and Silver.



801 825



827



827-PRESS



811 824-1



812 824-2



813 824-3



814

WIDE ROCKER SWITCHES - ONE WAY

- CPC801** 10AX Single Pole 1 Gang 1 Way Plate Switch
- CPC827** 10AX Single Pole 1 Gang Push Bell Plate Switch
- CPC827-PRESS** 10AX Single Pole 1 Gang Press Plate Switch

WIDE ROCKER SWITCHES - INTERMEDIATE

- CPC825** 10AX Single Pole 1 Gang Intermediate Plate Switch

Understanding the code:

CPC - Plate Style **801** - Product Number **BK** - Plate Finish

Finish options:

BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS EN 60669-1

Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

A Stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
Insert & Front Plates Supplied Together

WIDE ROCKER SWITCHES - TWO WAY

- CPC811** 10AX Single Pole 1 Gang 2 Way Plate Switch
- CPC812** 10AX Single Pole 2 Gang 2 Way Plate Switch
- CPC813** 10AX Single Pole 3 Gang 2 Way Plate Switch
- CPC814** 10AX Single Pole 4 Gang 2 Way Plate Switch
- CPC824-1** 20AX Single Pole 1 Gang 2 Way Plate Switch
- CPC824-2** 20AX Single Pole 2 Gang 2 Way Plate Switch
- CPC824-3** 20AX Single Pole 3 Gang 2 Way Plate Switch

Understanding the code:

CPC - Plate Style **801** - Product Number **BK** - Plate Finish

Finish options:

BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS EN 60669-1

Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

A Stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
Insert & Front Plates Supplied Together

All products in the Seera[®] range are available in White, Black and Silver.



All products in the Seera[®] range are available in White, Black and Silver.



140/145



146



140PL



146PL

Eliminate Dimmer Flickering

Our new dimmer is much easier to program than regular dimmers because of the two small switches on the back of the module.

This allows the dimmer to be programmed without removing from the plate.



MD9014

- 1 Switch 1 allows the minimum brightness to be adjusted
- 2 Switch 2 allows the dimming mode to be adjusted

DIMMER SWITCHES

- CPC140** 1 Gang 2 Way 400W Dimmer Switch
- CPC145** 1 Gang 2 Way 250W Dimmer Switch
- CPC146** 2 Gang 2 Way 250W Dimmer Switch

Understanding the code:

CPC - Plate Style **801** - Product Number **BK** - Plate Finish

Finish options:

BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 5733 **145:** BS EN 60669-2-1 BS 5733 BS EN 55015

Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D)

Additional information:

A Stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories Insert & Front Plates Supplied Together

ROTARY DIMMER SWITCH UNFURNISHED PLATES

- CPC140PL** 1 Gang Dimmer Switch Plate & Control Button
- CPC146PL** 2 Gang Dimmer Switch Plate & Control Buttons

LED DIMMER MODULES

MD9014 100W Dual Mode Dimmer Module with Trim

Understanding the code:

CPC - Plate Style **801** - Product Number **BK** - Plate Finish

Finish options:

BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 5733 **MD9014:** BS EN 60669-1BS EN 60669-2-1BS EN 55015 BS EN 61000-3-2

Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D) **MD9014:** 25mm (W) x 57.5mm (H) x 24.2mm (D)

Additional information:

A Stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories Insert & Front Plates Supplied Together

Power Socket Outlets, Fused Connection Units, Blank Plates & Control Switches

Our sockets have the provision of fused connection units as standard, which greatly facilitates wiring and installation.

- 13A UK Socket Outlets
- Switched Socket Outlets With USB
- 15A Round Pin Socket Outlet
- Blank Plates
- Control Switches
- Connection and Flex Outlet Plates
- 13A Fused Connection Units




All products in the Seera® range are available in White, Black and Silver.




035N



036N



795



796

UK SWITCHED SOCKET OUTLETS

- CPC035 13A 1 Gang Double Pole Switched UK Socket
- CPC036 13A 2 Gang Double Pole Switched UK Socket
- CPC035N 13A 1 Gang Double Pole Switched UK Socket With Neon
- CPC036N 13A 2 Gang Double Pole Switched UK Socket With Neon

UK SWITCHED SOCKET OUTLETS WITH TWIN TYPE C USB

- CPC795 1 Gang Switched Safety Shutter Socket Outlet with Twin Type C USB (4.2A) Outlets
- CPC796 2 Gang Switched Safety Shutter Socket Outlet with Twin Type C USB (4.2A) Outlets

Understanding the code:
CPC - Plate Style 801 - Product Number BK - Plate Finish

Finish options:
BK Black SV Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 1363-2
Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 6.5mm (D) 2 Gang: 146mm (W) x 86mm (H) x 6.5mm (D)

Additional information:
A Stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
Insert & Front Plates Supplied Together


All products in the Seera® range are available in White, Black and Silver.



034



060



061



100

Our Dual Voltage Shaver Outlet incorporates a double wound isolating transformer rated 20Va or 115V, and meets BS EN 61558-2-5: 2010 making it safe for use in bathrooms. The Shaver Outlet is not continuously rated and therefore is not suitable for use as a permanent charging outlet.

ROUND PIN SOCKET OUTLETS

- CPC034 15A Round Pin 1 Gang Switched Socket

BLANK PLATES

- CPC060 1 Gang Blank Plate
- CPC061 2 Gang Blank Plate

DUAL VOLTAGE SHAVER SOCKET OUTLETS

- CPC100 20VA Dual Voltage Shaver Outlet (115-230V)



Understanding the code:
CPC - Plate Style 801 - Product Number BK - Plate Finish

Finish options:
BK Black SV Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: 060 & 061: BS 5733 034: BS 546 100: BS EN 61558-1 BS EN 61558-2-5
Dimensions: 034 & 060: 86mm (W) x 86mm (H) x 6.5mm (D) 061: 146mm (W) x 86mm (H) x 6.5mm (D)
100: 86mm (W) x 146mm (H) x 6.5mm (D)

Additional information:
A Stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
Insert & Front Plates Supplied Together





45A SWITCHES

- CPC200** 45A Double Pole 1 Gang Plate Switch
- CPC201** 45A Double Pole 1 Gang Plate Switch With Neon
- CPC202** 45A Double Pole 2 Gang (Vertical) Plate Switch
- CPC203** 45A Double Pole 2 Gang (Vertical) Plate Switch With Neon

45A COOKER CONTROL UNIT

- CPC205** 45A Double Pole Switch & 13A Double Pole Switched Socket & Neons

Understanding the code:

CPC - Plate Style **801** - Product Number **BK** - Plate Finish

Finish options:


BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS EN 60669-1 **205:** BS 5733

Dimensions: **1 Gang:** 86mm (W) x 86mm (H) x 6.5mm (D) **2 Gang:** 86mm (W) x 146mm (H) x 6.5mm (D)
205: 146mm (W) x 86mm (H) x 6.5mm (D)

Additional information:

A Stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
 Insert & Front Plates Supplied Together



20A SWITCHES - DOUBLE POLE

- CPC822** 20A Double Pole 1 Gang Plate Switch
- CPC822N** 20A Double Pole 1 Gang Plate Switch With Neon

FLEX OUTLET PLATE

- CPC017** 20A 3 Termination Plate With Optional Flex Outlet

45A COOKER CONNECTION PLATE

- CPC215** 45A 3 Termination Plate With Optional Cable Outlet

Understanding the code:

CPC - Plate Style **801** - Product Number **BK** - Plate Finish

Finish options:

BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)


Standards: BS 5733 **822 & 822N:** BS EN 60669-1

Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D)

Additional information:

A Stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
 Insert & Front Plates Supplied Together

All products in the Seera[®] range are available in White, Black and Silver.




FUSED CONNECTION UNITS WITHOUT FLEX OUTLET

- CPC650** 13A Fused Connection Unit
- CPC651** 13A Fused Connection Unit Double Pole Switched
- CPC652** 13A Fused Connection Unit Double Pole Switched With Neon
- CPC653** 13A Fused Connection Unit With Neon


Understanding the code:
CPC - Plate Style **801** - Product Number **BK** - Plate Finish

Finish options:
BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 1363-4 BS 1362
Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:
 A Stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
 Insert & Front Plates Supplied Together

All products in the Seera[®] range are available in White, Black and Silver.




FUSED CONNECTION UNITS WITH OPTIONAL FLEX OUTLET

- CPC050** 13A Fused Connection Unit With Flex Outlet
- CPC051** 13A Fused Connection Unit Double Pole Switched With Flex Outlet
- CPC052** 13A Fused Connection Unit Double Pole Switched With Flex Outlet & Neon
- CPC053** 13A Fused Connection Unit With Flex Outlet & Neon

Understanding the code:
CPC - Plate Style **801** - Product Number **BK** - Plate Finish

Finish options:
BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 1363-4 BS 1362
Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:
 A Stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
 Insert & Front Plates Supplied Together

TV, Telephone & Data Sockets

Providing the means to facilitate the connection of modern communications equipment is as important today as it is to provide the electrical power to operate them, which includes products for connecting telephone, computer, television and satellite devices.



- Unfurnished Media Plates
- RJ11 Outlet
- Telephone Outlets
- Satellite Outlet
- Coaxial Outlet
- Cat 6 / 6A Outlet



All products in the Seera® range are available in White, Black and Silver.



20401



20403



20402



20404

GRIDPRO

Unfurnished Plates above can be furnished with any GridPro® modules, for the full range please refer to the Click® Wiring Accessory Catalogue.



UNFURNISHED PLATES - GRIDPRO®

- CPC20401** 1 Gang GridPro® Plate
- CPC20402** 2 Gang GridPro® Plate
- CPC20403** 3 Gang GridPro® Plate
- CPC20404** 4 Gang GridPro® Plate

Understanding the code:

CPC - Plate Style **20401** - Product Number **BK** - Plate Finish

Finish options:

BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 5733

Dimensions: 1 & 2 Gang: 86mm (W) x 86mm (H) x 6.5mm (D) **3 & 4 Gang:** 146mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

A Stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
Insert & Front Plates Supplied Together

All products in the GridPro® range are available in Black and White.



GM2001PW



GM2002BK



GM2018PW



GM2018NBK



GM2028PW



GM2070PW

20AX SWITCH MODULES

- GM2001** 20AX 1 Way Switch Module
- GM2002** 20AX 2 Way Switch Module
- GM2018** 20AX Double Pole Switch Module
- GM2018N** 20AX Double Pole Switch With Neon Module
- GM2028** 20AX Intermediate Switch Module
- GM2070** 20AX 3 Position Centre 'Off' Switch Module

Understanding the code:

GM - Gridpro® Module **2001** - Product Number **BK** - Module Finish

Finish options:

BK Black **PW** White (Please add the required abbreviation to the product code)

Standards: BS EN 60669-1

Dimensions: 24.5mm (W) x 50mm (H) x 22.5mm (D) **2070:** 24.5mm (W) x 50mm (H) x 26mm (D)

All products in the GridPro® range are available in Black and White.




All products in the Seera® range are available in White, Black and Silver.



new media

Unfurnished Plates above can be furnished with any New Media™ modules, for the full range please refer to the Click® Wiring Accessory Catalogue.



20AX RETRACTIVE SWITCH MODULES

- GM2004** 20AX 2 Way Retractive Switch Module
- GM2075** 20AX 3 Position Centre 'Off' Retractive Switch Module

13A FUSED CONNECTION MODULES

- GM2047** 13A Fused Connection Module

20A FLEX OUTLET MODULES

- GM2017** 20A Flex Outlet Module

BLANK MODULES

- GM2008** Blank Module

FAN ISOLATION SWITCH MODULES

- GM1020** 10A 3 Pole Fan Isolation Switch Module

USB CHARGING MODULES

- GM2586** 2.4A "A" & 3A "C" USB Dual Charging Modules

TELEPHONE/DATA MODULES

- GM2485** RJ45 Cat-6 Modules

Understanding the code:

GM - Gridpro® Module 2001 - Product Number BK - Module Finish

Finish options:

BK Black PW White (Please add the required abbreviation to the product code)

Standards: BS EN 60669-1 **2047:** BS 1363-4 **2017:** BS 5733 **1020:** BS EN 60669-2-4 BS EN 60669-1
Dimensions: **2004 & 1020:** 24.5mm (W) x 50mm (H) x 22.5mm (D) **2075:** 24.5mm (W) x 50mm (H) x 26mm (D)
2047: 24.5mm (W) x 50mm (H) x 25mm (D) **2017:** 24.5mm (W) x 50mm (H) x 28mm (D)
2008: 24.5mm (W) x 50mm (H) x 12mm (D) **2485:** 24.5mm (W) x 50mm (H) x 17.5mm (D)
2586: 24.5mm (W) x 50mm (H) x 40mm (D)

UNFURNISHED PLATES - NEW MEDIA™

- CPC310** 1 Gang Media Plate
- CPC311** 2 Gang Media Plate
- CPC312** 4 Gang Media Plate

Understanding the code:

CPC - Plate Style 801 - Product Number BK - Plate Finish

Finish options:

BK Black SV Silver (if you require an alternative finish to white then please add the required suffix to the product code)


Standards: BS 5733

Dimensions: **1 & 2 Gang:** 86mm (W) x 86mm (H) x 6.5mm (D) **4 Gang:** 146mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

A Stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
 Insert & Front Plates Supplied Together

All products in the New Media™ range are available in White, Black and Silver.



NEW MEDIA™ MODULES

- MM586WH** 2A "A" & 3A "C" USB Dual Charging Module
- MM405** Single Female Satellite Module
- SDMM405ANG** Single Angled Female Satellite Module
- MM450** Blank Module
- MM460** Telephone Master Module
- MM465** Telephone Secondary Module
- MM485** RJ45 Cat-6 Module
- MM485A** RJ45 Cat-6A Data Out Module
- MM501** HDMI V2.0 Module With Fly-Lead

Understanding the code:

MM - Module Style **801** - Product Number **BK** - Module Finish

Finish options:

BK Black **SV** Silver **WH** White (Please add the required abbreviation to the product code)

Dimensions:

- 586:** 25mm (W) x 55.7mm (H) x 37mm (D)
- 405:** 25mm (W) x 50mm (H) x 23mm (D)
- SDMM405:** 25mm (W) x 50mm (H) x 24.2mm (D)
- 450:** 25mm (W) x 50mm (H) x 14mm (D)
- 460 & 465:** 25mm (W) x 50mm (H) x 20.2mm (D)
- 485 & 485A:** 25mm (W) x 50mm (H) x 18mm (D)
- 501:** 25mm (W) x 50mm (H) x 28.2mm (D)

All products in the New Media™ range are available in White, Black and Silver.



NEW MEDIA™ MODULES

- MM1001CW** 1W LED Euromod
- MM1001WH** 1W LED Euromod
- MM550BK** Single Brush Module
- MM550WH** Single Brush Module
- MM550WHWH** Single Brush Module
- MM602BK** Hotel Touch & Indicator Modules
- MM602WH** Hotel Touch & Indicator Modules

Understanding the code:

MM - Module Style **801** - Product Number **BK** - Module Finish

Finish options:

BK Black **SV** Silver **WH** White (Please add the required abbreviation to the product code)

Standards: **1001 & 602:** BS 5733 BS EN 60669-2-1 **550:** BS 5733

Dimensions:

- 1001:** 50mm (W) x 50mm (H) x 30mm (D)
- 550:** 25mm (W) x 50mm (H) x 12.6mm (D)
- 602:** 50mm (W) x 50mm (H) x 33mm (D)

All products in the New Media™ range are available in Black, White and Silver.



MM620BK



MM020WH



SP620BK



SP620WH

NEW MEDIA™ MODULES

MM020 16A European Schuko Socket Outlet Module
Only available in Black and White

- MM620BK** 10A/6AX Key Card Switch Insert Module
- SP620BK** Front Plate For MM620BK (Key Fob Module)
- SP620WH** Front Plate For MM620BK (Key Fob Module)
- SP620MTBK** Front Plate For MM620BK (Key Fob Module)
- SP620PN** Front Plate For MM620BK (Key Fob Module)
- SP620SV** Front Plate For MM620BK (Key Fob Module)

Understanding the code:

MM - Module Style **801** - Product Number **BK** - Module Finish

Finish options:

BK Black **SV** Silver **WH** White (Please add the required abbreviation to the product code)

Standards: MM020: IEC 60884

Dimensions:

- 020:** 50mm (W) x 50mm (H) x 40.1mm (D)
- MM620:** 50mm (W) x 50mm (H) x 32.5mm (D)
- SP620:** 61mm (W) x 52mm (H) x 20.5mm (D)

All products in the Seera® range are available in White, Black and Silver.



115




119



124



065



156

RJ11 TELEPHONE / DATE OUTLETS

CPC115 1 Gang Single RJ11 (Irish-US) Outlet

TELEPHONE OUTLETS

- CPC119** 1 Gang Single Telephone Master Outlet
- CPC124** 1 Gang Single Telephone Secondary Outlet

NON-ISOLATED COAXIAL OUTLET (UNSHIELDED)

- CPC065** 1 Gang Non-Isolated Single Coaxial Outlet
- CPC156** 1 Gang Non-Isolated Single Satellite Outlet

Understanding the code:

CPC - Plate Style **801** - Product Number **BK** - Plate Finish

Finish options:

BK Black **SV** Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 5733

Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

A Stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories
Insert & Front Plates Supplied Together

seera[®]



Scolmore[®]
● ● ● ● ● MIDDLE EAST

Scolmore Middle East

Lake Central Tower,
Office 1803,
Business Bay,
Dubai, UAE

T: +971 4589 6552

E: sales@scolmoreme.com

www.scolmoreme.com

Scolmore[®]
● ● ● ● ● G R O U P

Scolmore Head Office

Scolmore House, Mariner,
Lichfield Road Industrial Estate,
Tamworth, Staffordshire,
B79 7UL

T: +44 (0)1827 63454

E: sales@scolmore.com

www.scolmore.com

Errors and Omissions excluded. Specification is subject to change without notice.